Jetson 14



MUTE. Fact sheet



Jetson L4

A huddle space for up to four people. Gather your team to talk and debate, free from the distractions of office hustle and bustle. Here, you all can make yourself at home: adjust the seat rests or decorate the shelves with books or posters. The ventilation exchanges air inside every 2 minutes to keep your minds sharp and your ideas fresh.

Jetson is a family of universal acoustic pods designed to make everyone's work joyful and fruitful. It's truly people-focused: comfortable and customizable through add-on sets to meet your need and vision.

Made of extruded aluminum, which makes it the lightest and most environmentally-friendly pod on the market.

With its durable construction, no tools assembly, effective sound attenuation, and attractive price,

Jetson will introduce the benefits of acoustic pods to all.

FUNCTION

Meeting, collaboration or focused work

ACOUSTICS

Insulation

USAGE

Open space


Reception

Breakout area

Other public spaces

MUTC. Fact sheet

Dimensions, weight & features



DIMENSIONS [MM]	EXTERIOR / INTERIOR	WEIGHT [KG]	
Width	2150 / 2010	Net / Gross	460 / 515
Depth	1270 / 1125 + 800 with an open door	Seating / max load (1 pc)	11 / 180
		Tabletop / max load	11 / 40
Height	2264 / 2102	Deep shelf / max load	5,3 / 6
Tabletop [w x d x h]	925 × 680 × 745	Shallow shelf / max load	2,6 / 3
		Display rail	1,8
STANDARD EQUIPMENT SET			

Ventilation system

LED Light

Occupancy sensor for fans and light

Media port with 2 power and 2 USB sockets

Profiled tabletop

2× sofa with height-adjustable backrest

Shallow shelf with display rail and magnet, 2× wall hook

Power cord 3 m

MUTE. Fact sheet

Technical data

ACOUSTIC RESULTS AND VENTILATION

Speech attenuation level 26 dB, class B per ISO 23351

RT20 inside <0,2 s per ISO 354:2005

Airflow 160 m3/h

Fan emitted noise outside / inside ≤39 dB / ≤38 dB

POWER CONSUMPTION

Standby 4,5 W
Working (fans, LEDs) 22 W
Max power supply 40 W (no receivers)

Power supply voltage 220-240/100-120 VAC, 50-60 Hz

24 V DC

Supply voltage for ventilation,

lighting and addons

COMPOSITION

Aluminium structure and steel elements

Plywood and melamine faced chipboard

Isolating and absorbing materials

Soundproof glass

Felt

LIGHTING PERFORMANCE

Power 14 W
Brightness 300 lux
Light color temperature 4 000 K

MEDIA PORT

Supply voltage 220-240 / 100-120 VAC, 50-60 Hz

Power sockets 2

USB fast charger TUF A+C 25 W, 5 V DC

Available socket types FR / DE / UK / US / CH / AU / DK* / IT*

Mounting system Included

Color Black

*The appearance of the media port may differ from that shown in the renderings. Parameters and features remain unchanged.

Additional information

CARE

Keep product dry

Vacuum and clean regularly

Follow the assembly instructions & terms of use Follow product's Cleaning and care guide

LOCATION ASSURANCE

Ensure at least 20 cm space between the pod and the ceiling

Two pods can be placed together without a need of free space between sidewalls

GUARANTEE

5 years guarantee for the product

2 years guarantee for finishing materials, door elements and electrical components

ENVIRONMENTAL IMPACT

Environmental management system ISO 14001 European Economic Area and RoHS Compliant Made of aluminum, lightweight, durable and fully recyclable

Recyclable packaging





PRODUCTION

Certified Production Process ISO 9001

Product manufactured in Poland

Assessed and deemed to meet EU safety st.





DELIVERY & ASSEMBLY

Flat cardboards delivered on a pallet

Package dimensions (I × w × h) 2280 × 1270 × 1290 mm


No-tools wall connecting system

MUTE. Fact sheet

Add-on sets


Library set

Weight / weight with packaging 11 / 12,8 kg



Note set

Weight / weight with packaging 12,5 / 15 kg




Jetson L4

MUTC. Fact sheet

Finishes overview







The smart choice.

MUTE.

Inspire. Create. Deliver.