

# ELEVAR NEW VISION - ROUND (ENV)

## Workstation

*Introducing ENV Round – A New Look for the Next Generation of Ergonomic Desks.*

*The latest in ergonomic workstations is now available with stylish Round Legs for a softer, more contemporary look. Available in 2-leg, 3-leg, 4-leg back-to-back, and 4-leg meeting table configurations, ENV is designed with user comfort and efficiency at its core from the moment of assembly.*

*Engineered in collaboration with Elevar and their European partners, the ENV Round system features cutting-edge technology to deliver a faster, quieter, and more seamless sit-to-stand experience.*

*Leading the innovation is the ENV3 Round 3-leg workstation—the world's first fast-assembly 3-leg workstation for commercial use. It supports versatile 90°, 120°, and 180° setups, all from a single frame.*


*ENV Workstations by Elevar – Raising the Standard, Now with a Modern Edge.*

<b>Product Type</b>	3-stage electric workstation - 1 motor per leg
<b>Certifications</b>	AFRDI Blue Tick certified AS/NZS 4442 standards compliant
<b>Weight Capacity</b>	2-leg 120kg 3-leg 150kg 4-leg meeting table 200kg
<b>Height Range</b>	595 - 1257mm 620 - 1282mm w/ 25mm top Adjustable glides $\pm 15$ mm
<b>Operational Speed</b>	60mm/sec at maximum weight load Operating volume less than 40dB
<b>Configuration</b>	2-leg desk 3-leg workstation 4-leg back-to-back workstation 4-leg meeting table
<b>Colour</b>	Pearl White (*W), Pearl Black ('B), Custom colour on request (indent only)
<b>Warranty</b>	10 years parts replacement including frame, mechanical, and electric components
<b>Controller</b>	Lockable LED controller 3 favourite settings Programmable min/max height range Collision and tilt avoidance sensors Safety lock USB-C fast charging port
<b>Cable Tray</b>	Fast tray attachment Single and shared B2B trays, telescopic for multiple sizes Up to 16x GPO or data Segregation channel Integrated screen brackets suits up to 50mm screens


# ENV2 ROUND

## Freestanding 2-Leg


### Top Dimensions



### Frame Dimensions




### Frame / Height Dimensions




# ENV2-TRAY ROUND

## Quickrim Cable Tray and Screen Brackets


### Dimensions



### Frame Dimensions (top view)




### Frame Dimensions (side view)




# ENV2-TRAY ROUND

## Quickrim Cable Tray and Screen Brackets


### Frame Dimensions




### Frame Height Dimensions



### Joiner Box Dimensions




### Acoustic/Extruded Screen Bracket



# ENV2-TRAY ROUND

## *Universal Dimensions*

### Handset



- A. Up/down buttons
- B. Programmable favourite height buttons
- C. Height display in centimeters
- D. Settings program button for customised settings
- E. USB-C charging port


### Cable Tray Dimensions




1800mm top: 16x GPO and/or data | Front and back | Top lid exits both sides



1500mm top: 8x GPO and/or data | Front and back | Top lid exits one side




1300mm top: internal power and data only | Top lid exits one side



# ENV3 ROUND

## 3-Leg, 3-Motor Electric Workstation


### Frame Height Dimensions



# ENV3 ROUND

## 3-Leg, 3-Motor Electric Workstation


### Top Dimensions



# ENV3 ROUND

## *3-Leg, 3-Motor Electric Workstation*

### 90° Cluster Dimensions






# ENV3 ROUND

## *3-Leg, 3-Motor Electric Workstation*



### 120° Cluster Dimensions



# ENV4 ROUND

## *Back to back workstation system*


### Frame Dimensions





# ENV4 ROUND

## Back to back workstation system

### Frame Dimensions



### Joiner Box Dimensions



\* Tray sits 20mm below rail to ensure ease of access when screens are installed.

**Inspire. Create. Deliver.**