

Graphic design & layout
Marco Sorrentino
MSstudio.it

© Chairs and More s.r.l.
all rights reserved

Chairs & More si riserva di apportare, senza preavviso, modifiche nei materiali, nei rivestimenti, nelle finiture e nei disegni dei prodotti presentati in questo catalogo. Le textures ed i colori dei materiali e delle finiture hanno valore indicativo in quanto soggetti alle tolleranze dei processi di stampa.

Chairs & More reserves the right to change, without previous notice, materials, covers, finishes and drawings of the products presented in this catalogue. The textures and colours of materials and finishes are indicative as they are depending on the tolerances of the printing process.

Chairs & More s.r.l.
Via dell'Artigianato, 18
San Giovanni al Natisone,
33048 Udine — Italy
+39 0432 743271

info@chairsandmore.it
chairsandmore.it




Upholstery fabrics
made of 100% recycled
PET bottles

**chairs&
more**


**chairs&
more**

Avon Cat. B




<p>7068.01</p> <p>FEATURES 100% RECYCLED POLYESTER FR</p> <p>LIGHTFASTNESS 6 ISO 105 B02</p>	<p>7068.04</p> <p>FASTNESS TO RUBBING DRY 4/5, WET 4/-5, ISO 105X12</p> <p>ABRASION RESISTANCE 80.000 CYCLES UNI EN ISO 12947-2</p>	<p>7068.05</p> <p>FIRE RESISTANCE EN 1021 - 1&2 (cigarette & match) BS 5852 Crib 5 UNI 9175 Classe 1 IM California TB 117-2013 IMO FTP Code 307 part 8</p>	<p>7068.07</p> <p>NF D 60 013 - AM. 18 DIN 4102, B1 NFPA 260:2013, CLASS 1</p>
<p>7068.08</p> <p>FEATURES 100% RECYCLED POLYESTER FR</p> <p>LIGHTFASTNESS 6 ISO 105 B02</p>	<p>7068.09</p> <p>FASTNESS TO RUBBING DRY 4/5, WET 4/-5, ISO 105X12</p> <p>ABRASION RESISTANCE 80.000 CYCLES UNI EN ISO 12947-2</p>	<p>7068.12</p> <p>FIRE RESISTANCE EN 1021 - 1&2 (cigarette & match) BS 5852 Crib 5 UNI 9175 Classe 1 IM California TB 117-2013 IMO FTP Code 307 part 8</p>	<p>7068.13</p> <p>NF D 60 013 - AM. 18 DIN 4102, B1 NFPA 260:2013, CLASS 1</p>

Wilson Cat. C



<p>7067.03</p> <p>FEATURES 100% RECYCLED POLYESTER FR</p> <p>LIGHTFASTNESS 6 ISO 105 B02</p>	<p>7067.07</p> <p>FASTNESS TO RUBBING DRY 4/5, WET 4/-5, ISO 105X12</p> <p>ABRASION RESISTANCE 80.000 CYCLES UNI EN ISO 12947-2</p>	<p>7067.08</p> <p>FIRE RESISTANCE EN 1021 - 1&2 (cigarette & match) BS 5852 Crib 5 UNI 9175 Classe 1 IM California TB 117-2013 IMO FTP Code 307 part 8</p>	<p>7067.10</p> <p>NF D 60 013 - AM. 18 DIN 4102, B1 NFPA 260:2013, CLASS 1</p>
<p>7067.13</p> <p>FEATURES 100% RECYCLED POLYESTER FR</p> <p>LIGHTFASTNESS 6 ISO 105 B02</p>	<p>7067.14</p> <p>FASTNESS TO RUBBING DRY 4/5, WET 4/-5, ISO 105X12</p> <p>ABRASION RESISTANCE 80.000 CYCLES UNI EN ISO 12947-2</p>	<p>7067.18</p> <p>FIRE RESISTANCE EN 1021 - 1&2 (cigarette & match) BS 5852 Crib 5 UNI 9175 Classe 1 IM California TB 117-2013 IMO FTP Code 307 part 8</p>	<p>7067.21</p> <p>NF D 60 013 - AM. 18 DIN 4102, B1 NFPA 260:2013, CLASS 1</p>

Norfolk Cat. C



<p>7069.02</p> <p>FEATURES 100% RECYCLED POLYESTER FR</p> <p>LIGHTFASTNESS 6 ISO 105 B02</p>	<p>7069.03</p> <p>FASTNESS TO RUBBING DRY 4/5, WET 4/-5, ISO 105X12</p> <p>ABRASION RESISTANCE 70.000 CYCLES UNI EN ISO 12947-2</p>	<p>7069.04</p> <p>FIRE RESISTANCE EN 1021 - 1&2 (cigarette & match) BS 5852 Crib 5 UNI 9175 Classe 1 IM California TB 117-2013 IMO FTP Code 307 part 8</p>	<p>7069.07</p> <p>NF D 60 013 - AM. 18 DIN 4102, B1 NFPA 260:2013, CLASS 1</p>
<p>7069.09</p> <p>FEATURES 100% RECYCLED POLYESTER FR</p> <p>LIGHTFASTNESS 6 ISO 105 B02</p>	<p>7069.11</p> <p>FASTNESS TO RUBBING DRY 4/5, WET 4/-5, ISO 105X12</p> <p>ABRASION RESISTANCE 70.000 CYCLES UNI EN ISO 12947-2</p>	<p>7069.15</p> <p>FIRE RESISTANCE EN 1021 - 1&2 (cigarette & match) BS 5852 Crib 5 UNI 9175 Classe 1 IM California TB 117-2013 IMO FTP Code 307 part 8</p>	<p>7069.16</p> <p>NF D 60 013 - AM. 18 DIN 4102, B1 NFPA 260:2013, CLASS 1</p>

Inspire. Create. Deliver.

